
















Introducing Cisco's new huddle space solution with Cisco Room Kit MINI



Cisco Room Kit Mini



MultiSite capabilities

- 4-way embedded SIP/H.323 conferencing capability with MultiSite option
- Adaptive SIP/H.323 MultiSite:
 - 3-way resolution up to 1080p30 + content up to 4Kp5
 - 4-way resolution up to 720p30 + content up to 4Kp5
 - Full individual audio and video transcoding
- H.323/SIP/VoIP in the same conference
- Support for presentation (H.239/BFCP) from any participant at resolutions up to 3840 x 2160p5
- Best impression (automatic continuous presence layouts)
- Encryption and dual stream from any site

Cisco Webex Room Kit Mini

Compact form factor 1/3 of Room Kit volume Beam forming microphone array Speakers Wifi / Bluetooth Passive cooling, (Full range no fans and bass) Fixed lens camera 2x zoom FoV 120°

Room Kit Mini - Camera details

- 4K UltraHD camera
- Supports up to 60 fps (max 30 fps with best overview enabled)
- 8 MP image sensor
- 1/1.4 CMOS
- 5x zoom
- f/1.4 aperture
- 120° horizontal field of view

- Auto framing (face detect)
- Auto focus, brightness, and white balance
- Focus distance 1 m to infinity



Solving huddle space conferencing




Room Kit Mini: 120° FoV


Captures participants sitting close to the screen

Perfect for your smaller huddle spaces

Average in-room camera



Room Kit Mini



The best audio for the huddle space



Directional microphones


Beam forming in FoV in front of unit - 1200

Reduce background noise

behind unit – great for open huddle spaces



Intelligent Auto-framing for clearer communication



Best Overview

Screen Mounting for Room Kit Mini










© 2019 Cisco and/or its affiliate

Meeting client agnostic - connect to ANYONE




Simple calling procedure with Touch 10 Panel



2



Tap the **Search or Dial** field. This opens the keyboard



When you have typed or located whom to call, tap the name and then tap the green Call button to place the call.

Cisco Room Kit Mini configuration

Default

Room Kit Mini unit



Camera privacy cover



Touch 10 (with ethernet cable)



Wall Mount Kit



HDMI cable 1,5m / 4,9 ft



Network cable 5m / 16,4 ft



Power supply Room Kit Mini

Optional



HDMI presentation cable (8m)



USB-C to USB-A cable (4m / 13 ft) (for USB pass-through)



Screen Mount Kit

Cisco Offer to support Remote Hearing in HK

(NOT allowed to register to cloud for Remote Hearing purpose from Judiciary guideline)

- Cisco Room Kit MINI all-in-one with 4K camera, microphone, speaker
- Touch 10 control panel
- Including Multisite license for multiple point connection
- 1 Year 8x5 Smartnet Total Care Support by Cisco





Room Kit MINI Datasheet: https://www.cisco.com/c/en/us/products/collateral/collaboration-endpoints/webex-room-series/datasheet-c78-741523.html

Optional items with third party hardware integration

- TV Display or Monitor
- Visualizer for document sharing





Why Cisco?

- Market leader on video conferencing for many years recognized by various third party research parties like Gartner, Aragon, IDC etc.
- End to End call encryption by Default (required from Judiciary guideline)
- Simple Set up and configuration in around 15 min
- All-In-One device with one touch based control panel for calling, volume adjustment, camera adjustment
- Seamlessly work together with third party hardware like TV Display, Monitor, Visualizer with HDMI cable connection

cisco